



## Tanks – Separators – Tank/Separator Combinations

### Tanks

- All Steel design
- Extra Heavy skid construction
- Double contained
- Insulation between tanks
- Internal coating (optional)
- 32 Oz Test pressure
- 3/16" Wall thickness
- 1/4" Floor thickness



### Separators

- Anti Corrosion Drain
- Internal riser
- No external piping
- 2 phase, or 3 phase
- Sweet or sour design
- Pneumatic or Electric control
- Open work-space inside



### Tank Separator Packages

- Extra large building layout
- Triple contained methanol tank
- Internal Truck out Valve with External Handle
- No External Piping
- Operator friendly working layout
- Chemical Pump Drip Tray

### Zero Sour Features

- Integrated Vent Gas Scrubber
- Fuel Gas Sweetening system
- Chemical Storage
- 1/8" CA
- Sealed Tank
- NACE
- **No Sour Emissions**





## H<sub>2</sub>S Removal Systems Any H<sub>2</sub>S – Any Source – Any Gas Flow

### Vent Gas Treatment - Any Source

- Stand Alone Single Tank Treatment
- Multiple Tank Farm Treatment
- No H<sub>2</sub>S Emissions on Lease
- Winterized
- Large SAGD and other Produced Fluid Tanks

### Instrument Gas

Compact Instrument gas contactor  
Internally Mounted in Tank Separator Packages  
External Stand Alone System

### Compressor Fuel Gas

#### Sugar Cube System

Compact footprint  
Transferable  
Wide Range of H<sub>2</sub>S and Gas Flows  
Complete Plant Solutions

### Solution Gas Treatment

Oil Associated Gas  
Any H<sub>2</sub>S concentration  
Augment Oil Revenues

### Sales Gas Treatment

Gas Flows from a few Mcf to Several Million  
Wide H<sub>2</sub>S Concentration Range  
Designed to Work With or Without our Tank/Separator Packages

### CO<sub>2</sub> Treatment

CO<sub>2</sub> for EOR applications  
Cleanup for Amine Systems  
Vented CO<sub>2</sub>

### Sour PSV Release

Sour Gas in Populated Regions  
Flare Elimination Areas



## Equipment Solutions

### In-Stock Solutions

Ultrafab has Packages in Stock available to treat many common applications

- Tanks
- Tank Separator packages
- H<sub>2</sub>S Removal Systems
- Various Sized Equipment and Treatment options
- Vent Gas Treatment Equipment

### Short Delivery Resolutions

- Many vessels in stock
- Many Tanks and Skids available
- Customized Package solutions can be built in 2-4 weeks
- Tanks
- Separator Skids
- Tank/Separator Skids
- Sweet and Sour options
  
- Sweetening systems
- Vessels in stock
- Vent Gas Scrubbers
- Combination packages
- H<sub>2</sub>S Removal Solutions available in Short Delivery

### Customized Solutions

- Ultrafab can provide a Comprehensive solution for any Wellhead treatment
- Sweet or Sour Applications
- Tanks
- Separator packages
- Pump Skids
- Header Skids
- SCADA options
- Internally Coated Equipment
- H<sub>2</sub>S Removal Solutions for ANY Source

## Lease and Lease-to-own Options available

## Comprehensive Wellhead Sour Application



Sensitive Landowner Solution



CO2 Treatment for H2S



Vent and Instrument Gas H2S Treatment



SCADA Tank/Separator with Integrated Tower Mount



**Vent Gas Treatment Specialty**



**Tank / Separator Packages  
Sweet or Sour**



**PSV Release Sweetening System**



**Custom H2S Removal Solutions**



**Ultrafab Industries**  
261088 Wagon Wheel Crescent  
Rocky View, AB T4A 0G2  
Ph: (403) 272-2688  
Fax: (403) 515-3983

**Email: [sales@ultrafab.net](mailto:sales@ultrafab.net)**