





The Global Leader in Catalysis

Products & Industries

[Adsorbents](#)
[Aircraft / Confined Space](#)
[Air Quality](#)
[Battery Materials](#)
[Mobile Emissions Catalysts](#)
[New Business Development](#)
[Precious Metals Services](#)

Process Catalysts

[About Process Catalysts](#)
[Chemical Catalysts](#)
[Custom Catalysts](#)

Polyolefin Catalysts

[Lynx Polypropylene Catalysts](#)

Lynx Polyethylene Catalysts

[Custom Polyolefin Catalysts](#)
[Polyolefin Catalysts Experts](#)

FCC Refining Catalysts

[Stationary Emissions](#)
[Temperature Sensing](#)

Lynx Polyethylene Catalysts

High activity polyethylene catalyst

BASF's Lynx polyethylene (PE) catalyst technologies are utilized commercially in slurry processes for the production of high-density polyethylene. BASF's Lynx 200 catalysts are used for the production of high-value resins such as bimodal film and pipe.

Lynx 200

Morphology controlled Ziegler Catalysts for the production of bimodal high-density polyethylene – film, blow molding, injection molding, monofilament, and pipe grades

Lynx 200 HAH

Morphology controlled High Activity / High Hydrogen Response Catalysts

Snap Info

[Literature Library](#)
 (Brochures/Datasheets)

SDS

[EIB Precious Metal Pricing](#)

Contact Us

Americas:

+1-732-205-5000
 +1-800-889-9845

Asia Pacific:




+86 21 2039-2549

Europe, Middle East, Africa:

+32 2 373-2401

Need more information?

Page Functions

-  Tell a friend
-  Contact
-  Print

General Information

- [Disclaimer](#)
- [Data protection](#)
- [Credits](#)

