

Process Belting

Filtration

Wiring Harness

Strings

Zyex World leader in PEEK fibres

Home Company Products Applications Technical Contact Us

hydrolysis resistance

Extreme operating conditions (thermal, chemical and mechanical)

Intrinsic cleanliness for food use (FDA)

Excellent surface release (non stick)

http://www.zyex.com/process-belting.html

Filtration

Wiring Harness

Strings

Zyex World leader in PEEK fibres

Home Company Products Applications Technical Contact Us

any other high tech material
Chemical resistance

Purity for medical and pharmaceutical end-uses

Zyex sewing threads to join filter elements

Dimensional stability and toughness

Easy overmoulding

Anti-fouling surface

Process Belting

Wiring Harness

Filtration

Strings

Zyex World leader in PEEK fibres

Home Company Products Applications Technical Contact Us



Light weight replacing metal or fluoropolymers
Inherently flame retardant
Low smoke toxicity
Wide operating temperature range (high and low)




Wiring Harness

Strings

Zyex World leader in PEEK fibres

Home Company Products Applications Technical Contact Us



Excellent tension holding (low creep)

Environmental stability (moisture and temperature)

Unique tonal quality and dynamic response.



Wiring Harness

Strings

Zyex World leader in PEEK fibres

Home Company Products Applications Technical Contact Us



Zyex brings improved, even fibre distribution and drapability
Intimate mixing via staple blends and comingling with glass or carbon
Textile route advantage over pre-preg laminates for complex 3D shapes
Fracture toughness improvement for thermosets
High aspect ratio: alternative to milled/ground powder



ZYEX Ltd
Stonedale Road
Stonehouse
GL103RQ
United Kingdom

T +44 (0) 1453 827979 F +44 (0) 1453 821919 E enquiries@zyex.com Disclaimer
Cookie Policy
Site design by Legend



Victrex® is a registered trade mark of Victrex Plc.



Home Company Products Applications Technical Contact Us

Process Belting

Filtration

Wiring Harness

Strings