

Shell Global Solutions

# RESIDUE GASIFICATION

CONVERTING THE BOTTOM OF THE BARREL INTO VALUABLE PRODUCTS



## AT A GLANCE

**CUSTOMER DRIVER:** Access to resources (unconventionals), changing feedstock slates (heavy and/or sour crudes), changing demand patterns (fuel specifications), sustainable operations (emissions)

**SOLUTION:** The SGP, which can convert a wide range of low-value heavy residues and asphaltenes into syngas

**VALUE DELIVERED:** Enhanced yield of high-value products, increased hydrogen production, ability to process a wide range of crude oils

**PROOF POINT:** Three plants (nine reactors) commissioned in the last 10 years

Traditionally, refinery residues have been sold as marine bunker fuel or used on-site as furnace fuel. However, with changing legislation, refineries are under pressure to reduce their emissions and the sulphur content of their products, and the market for fuel oil is shrinking. The Shell Gasification Process (SGP) can be combined with other upgrading and treating technologies to convert a wide range of low-value heavy residues and asphaltenes into synthesis gas (syngas) for:

- integrated gasification combined-cycle (IGCC) power generation (with optional carbon dioxide capture);
- hydrogen via carbon monoxide shift; and
- other applications such as chemicals manufacturing.


Shell Global Solutions provides business, operational-support and project-execution services from design and engineering through to commissioning and start-up, experience transfer, master planning and training.

## WHAT DIFFERENTIATES US

- Our gasification experience dates back to the 1950s; more than 170 Shell gasification reactors have been built.
- We continuously improve our technologies by incorporating lessons learned into our master designs.
- SGP units can process a wide range of feedstocks, including highly viscous, high-sulphur residues.
- Our designs offer performance advantages by helping to minimise oxygen and fresh water consumption, reduce soot formation and enhance syngas yield.
- Because Shell is both a gasifier owner and an operator, it has extensive experience in their startup, operation and maintenance.



## A TYPICAL SHELL GASIFICATION PROCESS SCHEME



## PROCESS DESCRIPTION

The non-catalytic partial oxidation of hydrocarbons takes place in a refractory-lined reactor. The syngas is cooled in the syngas effluent cooler, which is directly connected to the reactor, and high-pressure saturated steam is produced. The low level of soot in the syngas is removed when it passes through a quench, a separator and a scrubber. An automated heat-up, start-up and shutdown system helps to provide reliable plant operation.

## PERFORMANCE

Special burner and reactor designs help SGP technology to:

- convert high ash, sulphur and viscosity feeds;
- give high syngas yield – typically >2,600 Nm<sup>3</sup> syngas per tonne of feedstock;
- operate with low oxygen consumption and low soot formation (<1 mg/Nm<sup>3</sup> of soot in raw syngas); and
- provide enhanced thermal efficiency through the syngas cooling process (with high-pressure steam generation).

## VALUE

The gasification process provides an intermediate product and is integrated into an existing (refinery) complex. This makes our gasification technology highly flexible and configurable to meet different needs. It can help in:

- improving product quality while reducing plant emissions;
- producing hydrogen for processing today's clean fuels;
- adapting processing facilities as demand for fuel oil diminishes;
- reducing demand for natural gas;
- converting low-value products into high-value products;
- using bottom-of-the-barrel oil for power; and
- implementing an enhanced oil recovery project using carbon dioxide.

## HAVE YOU CONSIDERED HOW YOU CAN

- improve product quality while simultaneously reducing plant emissions?
- produce sufficient hydrogen to increase the yield of clean fuels that meet ever more stringent requirements?
- adapt your processing facilities as demand for fuel oil diminishes?

## CASE STUDIES

### MEETING REFINERY ENVIRONMENTAL AND PRODUCT QUALITY NEEDS

At the Shell Pernis refinery, the Netherlands, a gasification unit was integrated with a new hydrocracking unit and a cogeneration plant to help meet stringent environmental and product-quality requirements. A revamped deep thermal cracker produces 1,650 t/d of high-sulphur, heavy residue as gasification feed. The syngas produced is used in making 285 t/d of hydrogen for the hydrocracker and as a clean fuel for power generation in a 117-MWe IGCC plant.

### PRODUCING SYNTHETIC CRUDE FROM OIL SANDS

Bitumen extracted by Nexen Inc. from the Athabasca oil sands, Canada, is converted using the OrCrude™ process to partially upgraded product and a heavy asphaltene by-product. The heavy asphaltene feeds a 3,800-t/d SGP unit. The gasifiers generate hydrogen for a distillate-hydrocracking unit, which upgrades the product further into premium-quality synthetic crude. Excess syngas is used to generate steam and power for bitumen extraction.



## For further information, please visit our website at [www.shell.com/globalsolutions](http://www.shell.com/globalsolutions)

Shell Global Solutions companies are part of the Royal Dutch Shell plc group of companies. The companies in which Royal Dutch Shell plc directly and indirectly owns investments are separate entities. They include, but are not limited to, companies whose names contain the words "Shell Global Solutions". In this material, the terms "Shell", "Shell Group" and "Shell Global Solutions" are sometimes used for convenience where references are made to Royal Dutch Shell plc and its subsidiaries in general, or where no useful purpose is served by identifying a particular company or companies.

The information contained in this material is intended to be general in nature and must not be relied on as specific advice in connection with any decisions you may make. Shell Global Solutions is not liable for any action you may take as a result of you relying on such material or for any loss or damage suffered by you as a result of you taking this action. Furthermore, these materials do not in any way constitute an offer to provide specific services. Some services may not be available in certain countries, regions or provinces.

Copyright © 2014 Shell Global Solutions International BV. All rights reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical including by photocopy, recording or information storage and retrieval system, without permission in writing from Shell Global Solutions International BV.